

Data Sheet



Fibre Discs

CS 561



Applications

Steel
 NF metals
 Metals
 Plastic
 Stainless steel
 Wood

Properties

● Bonding agent Resin
 ● Aluminium
 ● Grain oxide
 ○ Coating Close
 ○
 ○

Available grits

16 24 30 36 40 50 60 80 100 120 150 180 220 240 280 320 360 400 500 600 800 1000 1200 1500 2000

Cat.number	Diameter in mm	Hole	Hole Form	Grit
65708	100.0	16	10	16
65713	100.0	16	10	24
65718	100.0	16	10	36
65720	100.0	16	10	40
65725	100.0	16	10	50
65730	100.0	16	10	60
65735	100.0	16	10	80
65739	100.0	16	10	100
65743	100.0	16	10	120
66302	115.0	22	10	16
72298	115.0	22	10	24
66308	115.0	22	10	36
72192	115.0	22	10	40
66313	115.0	22	10	50
66318	115.0	22	10	60
25472	115.0	22	10	80
66322	115.0	22	10	100
66327	115.0	22	10	120

10977	115.0	22	30	16
10978	115.0	22	30	24
10979	115.0	22	30	30
10980	115.0	22	30	36
10981	115.0	22	30	40
10982	115.0	22	30	50
10983	115.0	22	30	60
10984	115.0	22	30	80
10985	115.0	22	30	100
10986	115.0	22	30	120
10987	115.0	22	30	150
10988	115.0	22	30	180
10989	115.0	22	30	220
10990	115.0	22	30	240
10992	115.0	22	30	320
66354	125.0	22	10	16
66358	125.0	22	10	24
66364	125.0	22	10	36
66366	125.0	22	10	40
66371	125.0	22	10	50
66376	125.0	22	10	60
70439	125.0	22	10	80
66379	125.0	22	10	100
66383	125.0	22	10	120
11009	125.0	22	30	16
11010	125.0	22	30	24
11011	125.0	22	30	30
11012	125.0	22	30	36
11013	125.0	22	30	40
11014	125.0	22	30	50
11015	125.0	22	30	60
11016	125.0	22	30	80
11017	125.0	22	30	100
11018	125.0	22	30	120
11019	125.0	22	30	150
11020	125.0	22	30	180
11021	125.0	22	30	220

11022	125.0	22	30	240
11024	125.0	22	30	320
11042	150.0	22	30	24
11044	150.0	22	30	36
11045	150.0	22	30	40
11047	150.0	22	30	60
11048	150.0	22	30	80
11050	150.0	22	30	120
66443	180.0	22	10	16
66451	180.0	22	10	24
66459	180.0	22	10	36
70447	180.0	22	10	40
70448	180.0	22	10	50
70449	180.0	22	10	60
66465	180.0	22	10	80
66469	180.0	22	10	100
66472	180.0	22	10	120
11057	180.0	22	30	16
11058	180.0	22	30	24
11060	180.0	22	30	36
11061	180.0	22	30	40
11062	180.0	22	30	50
11063	180.0	22	30	60
11064	180.0	22	30	80
11065	180.0	22	30	100
11066	180.0	22	30	120
11067	180.0	22	30	150
11068	180.0	22	30	180
11069	180.0	22	30	220
11070	180.0	22	30	240
11072	180.0	22	30	320
66497	235.0	22	10	24
66502	235.0	22	10	36
66504	235.0	22	10	40
66511	235.0	22	10	60
66514	235.0	22	10	80